

Catalog Number: JX10002

## AIF / Iba1 antibody

Package size: 25, 100µl


Store at: -20°C


Product Name	AIF / Iba1 antibody
Product Number	JX10002
Host	Rabbit
Clonality	Polyclonal
Application	WB, ICC/IF, IHC-P, IHC-Fr
Species Reactivity	Human, Mouse, Rat
Isotype	IgG
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-
	term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -
	20°C or below. Avoid multiple freeze-thaw cycles.
Storage Buffer	100mM Tris Glycine, 1% BSA, 20% Glycerol (pH7) contains 0.025% ProClin 300
Form	Liquid
Recommended	Western Blot 1:500-1:1000
<b>Applications Dilutions</b>	Immunocytochemistry / Immunofluorescence 1:100-1:300
	Immunohistochemistry (Paraffin) 1:100-1:300
	Immunohistochemistry (Frozen) 1:100-1:300
Notes	Gently mix before use. Optimal concentrations and conditions for each application should
	be determined by the user.


WB analysis of various sample extracts using JX10002 AIF / Iba1 antibody. Loading amount: 45 µg per lane Dilution: 1:500

IHC-fr analysis of rat brain tissue section using JX10002 AIF / Iba1 antibody (Green) counterstained with DAPI (blue) and Tuj1 antibody (Red).

IHC-fr analysis of mouse cerebellum tissue section using JX10002 AIF / Iba1 antibody (Green) counterstained with DAPI (blue). Dilution: 1:200







IHC-fr analysis of mouse hippocampus tissue section using JX10002 AIF / Iba1 antibody (Green) counterstained with DAPI (blue).

Dilution: 1:200

IHC-P analysis of human cancer tissue section using JX10002 AIF / Iba1 antibody.


Antigen retireval: Citrate Buffer, pH 6.0


Dilution: 1:200


IHC-P analysis of human cancer tissue section using JX10002 AIF / Iba1 antibody.

Antigen retireval: Citrate Buffer, pH 6.0

Dilution: 1:200







IHC-P analysis of mouse brain tissue section using JX10002 AIF / Iba1 antibody. Antigen retireval: Citrate Buffer, pH 6.0

Dilution: 1:200

IHC-P analysis of rat brain tissue section using JX10002 AIF / Iba1 antibody.

Antigen retireval: Citrate Buffer, pH 6.0

Dilution: 1:200

