






Catalog Number: JX10139

Package size: 25, 100µl

Store at: -20°C

OCLN / occludin antibody

| | |
|---|--|
| Product Name | OCLN / occludin antibody |
| Product Number | JX10139 |
| Host | Rabbit |
| Clonality | Polyclonal |
| Application | WB, ICC/IF, IHC-P |
| Species Reactivity | Human, Mouse, Rat |
| Isotype | IgG |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Storage Buffer | 100mM Tris Glycine, 1% BSA, 20% Glycerol (pH7) contains 0.025% ProClin 300 |
| Form | Liquid |
| Recommended Applications Dilutions | Western Blot 1:500-1:1500 Immunocytochemistry / Immunofluorescence 1:200–1:300 Immunohistochemistry (Paraffin) 1:100 |
| Notes | Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user. |

| | | |
|---|---|---|
| <p>IHC-P analysis of mouse tissue section using JX10139 OCLN / occludin antibody. Antigen retrieval: Citrate Buffer, pH 6.0 Dilution: 1:100</p> | <p>IHC-P analysis of mouse tissue section using JX10139 OCLN / occludin antibody. Antigen retrieval: Citrate Buffer, pH 6.0 Dilution: 1:100</p> | <p>WB analysis of various sample extracts using JX10139 OCLN / occludin antibody. Loading amount: 50 µg per lane Dilution: 1:1000</p> |
|  |  |  |
| <p>WB analysis of various sample extracts using JX10139 OCLN / occludin antibody. Loading amount: 50 µg per lane</p> | | |

Dilution: 1:1000

