

Catalog Number: JX10144

p63 antibody

Package size: 25, 100µl

Store at: -20°C

| Product Name | p63 antibody |
|-------------------------------|--|
| Product Number | JX10144 |
| Host | Rabbit |
| Clonality | Polyclonal |
| Application | WB, ICC/IF, IHC-P |
| Species Reactivity | Human, Mouse, Rat |
| Isotype | IgG |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short- |
| | term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at - |
| | 20°C or below. Avoid multiple freeze-thaw cycles. |
| Storage Buffer | 100mM Tris Glycine, 1% BSA, 20% Glycerol (pH7) contains 0.025% ProClin 300 |
| Form | Liquid |
| Recommended | Western Blot 1:500-1:1000 |
| Applications Dilutions | Immunocytochemistry / Immunofluorescence 1:100–1:300 |
| | Immunohistochemistry (Paraffin) 1:100 |
| Notes | Gently mix before use. Optimal concentrations and conditions for each application should |
| | be determined by the user. |


ICC/IF analysis of 4% paraformaldehyde fixed cells using JX10144 p63 antibody (Red) counterstained with DAPI (blue). Permeabilization: 0.1% NP-40 for 10 min at RT


Dilution: 1:100


WB analysis of various sample extracts using JX10144 p63 antibody. Loading amount: 50 µg per lane Dilution: 1:500

IHC-P analysis of mouse tissue section using JX10144 p63 antibody. Antigen retireval: Citrate Buffer, pH 6.0

Dilution: 1:100







IHC-P analysis of mouse tissue section using JX10144 p63 antibody.

Antigen retireval: Citrate Buffer, pH 6.0

Dilution: 1:100


IHC-P analysis of mouse tissue section using JX10144 p63 antibody.


Antigen retireval: Citrate Buffer, pH 6.0


Dilution: 1:100

IHC-P analysis of human breast cancer tissue section using JX10144 p63 antibody.

Dilution: 1:100







IHC-P analysis of human tissue section using JX10144 p63 antibody.

Dilution: 1:100

