


## Catalog Number: JX10188


Package size: 25, 100µl Store at: -20°C


## TTF-1 / NKX2-1 / Thyroid Transcription Factor S

| Product Name                  | TTF-1 / NKX2-1 / Thyroid Transcription Factor antibody                                   |  |
|-------------------------------|--|--|
| Product Number                | JX10188  |  |
| Host                          | Rabbit   |  |
| Clonality                     | Polyclonal   |  |
| Application                   | WB, IHC-P  |  |
| Species Reactivity            | Human, Mouse, Rat  |  |
| Isotype                       | IgG  |  |
| Storage                       | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-     |  |
|                               | term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -    |  |
|                               | 20°C or below. Avoid multiple freeze-thaw cycles.  |  |
| Storage Buffer                | 100mM Tris Glycine, 1% BSA, 25% Glycerol (pH7) contains 0.025% ProClin 300               |  |
| Form                          | Liquid   |  |
| Recommended                   | Western Blot 1:500-1:1000  |  |
| <b>Applications Dilutions</b> | Immunohistochemistry (Paraffin) 1:100–1:200  |  |
| Notes                         | Gently mix before use. Optimal concentrations and conditions for each application should |  |
|                               | be determined by the user.   |  |

| WB analysis of various sample extracts | IHC-P analysis of mouse tissue section    | IHC-P analysis of human cancer tissue  |
|--|---|--|
| using JX10188 TTF-1 / NKX2-1 / Thyroid | using JX10188 TTF-1 / NKX2-1 / Thyroid    | section using JX10188 TTF-1 / NKX2-1 / |
| Transcription Factor antibody.         | Transcription Factor antibody.            | Thyroid Transcription Factor antibody. |
| Loading amount: 30 µg per lane         | Antigen retireval: Citrate Buffer, pH 6.0 | Dilution: 1:100                        |
|  | Dilution: 1:100                           |  |







| IHC-P analysis of human cancer tissue<br>section using JX10188 TTF-1 / NKX2-1 /<br>Thyroid Transcription Factor antibody.  | IHC-P analysis of human cancer tissue<br>section using JX10188 TTF-1 / NKX2-1 /<br>Thyroid Transcription Factor antibody. |  |
|--|---|--|
| Dilution: 1:100  | Dilution: 1:100   |  |
| Thread carcinoma<br>Thread carci | Pyreld Carcinems  |  |

