


Catalog Number: JX10192
Package size: 25, 100µl
Store at: -20°C


VEGF antibody

Product Name	VEGF antibody
Product Number	JX10192
Host	Rabbit
Clonality	Polyclonal
Application	WB, ICC/IF, IHC-P, IP
Species Reactivity	Human, Mouse, Rat
Isotype	IgG
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Storage Buffer	100mM Tris Glycine, 20% Glycerol (pH7) contains 0.025% ProClin 300
Form	Liquid
Recommended Applications Dilutions	Western Blot 1:500–1:1000 Immunocytochemistry / Immunofluorescence 1:200–1:500 Immunohistochemistry (Paraffin) 1:100–1:300 Immunoprecipitation : Assay dependent (Application guarantee supported by literature)
Notes	Gently mix before use. Optimal concentrations and conditions for each application should be determined by the user.


ICC/IF analysis of 4% paraformaldehyde fixed cells using JX10192 VEGF antibody (Red) counterstained with DAPI (blue).
Permeabilization: 0.1% NP-40 for 10 min at RT
Dilution: 1:200












WB analysis of various sample extracts using JX10192 VEGF antibody.
Loading amount: 35 µg per lane
Dilution: 1:1000



WB analysis of various sample extracts using JX10192 VEGF antibody.
Loading amount: 35 µg per lane
Dilution: 1:1000




<p>IHC-P analysis of mouse colon tissue section using JX10192 VEGF antibody. Antigen retrieval: Citrate Buffer, pH 6.0 Dilution: 1:200</p>	<p>IHC-P analysis of mouse lung tissue section using JX10192 VEGF antibody. Antigen retrieval: Citrate Buffer, pH 6.0 Dilution: 1:200</p>	<p>IHC-P analysis of mouse tissue section using JX10192 VEGF antibody. Antigen retrieval: Citrate Buffer, pH 6.0 Dilution: 1:100</p>
		
<p>IHC-P analysis of mouse tissue section using JX10192 VEGF antibody. Antigen retrieval: Citrate Buffer, pH 6.0 Dilution: 1:100</p>	<p>IHC-P analysis of mouse tissue section using JX10192 VEGF antibody. Antigen retrieval: Citrate Buffer, pH 6.0 Dilution: 1:100</p>	<p>IHC-P analysis of mouse tissue section using JX10192 VEGF antibody. Antigen retrieval: Citrate Buffer, pH 6.0 Dilution: 1:100</p>
		
<p>IHC-P analysis of mouse tissue section using JX10192 VEGF antibody. Antigen retrieval: Citrate Buffer, pH 6.0 Dilution: 1:100</p>	<p>IHC-P analysis of human cancer tissue section using JX10192 VEGF antibody. Dilution: 1:100</p>	<p>IHC-P analysis of human colorectal cancer tissue section using JX10192 VEGF antibody. Dilution: 1:100</p>
	<p>Breast carcinoma</p> 	<p>Colorectal carcinoma</p> 



IHC-P analysis of human kidney cancer tissue section using JX10192 VEGF antibody.

Dilution: 1:100



IHC-P analysis of human liver and testis cancer tissue section using JX10192 VEGF antibody.

Dilution: 1:100

